



2017

English

***i*RI@N**

# Caulking Applicators

## Half Pipe Caulking Applicator HS80

Art.No. 558089

- Hardened ratchet teeth push rod
- Built-in nozzle cutter
- Spout cleaner

For cartridges 310ml/10.5 fl oz

Color: Grey



## Half Pipe Caulking Applicator HS60

Art.No. 900964

HS65 Art.No. 900965

- Hardened push rod
- Hardened ratchet teeth push rod

For cartridges 310ml/10.5 fl oz

Color: Blue

## Skeleton Caulking Applicator HS84-S

Art.No. 901084

- Hexagonal push rod
- Ladder hook
- Spout cleaner

For cartridges 310ml/10.5 fl oz

Color: Red



## Half Pipe Caulking Applicator HPS44

Art.No. 571159

- Low weight synthetic tool
- Metal thrust block
- Rotary carriage
- Comfort grip handle

For cartridges 310ml/10.5 fl oz

Color: Red/Black

## Half Pipe Caulking Applicator HPS56

Art.No. 571156

- Rotary carriage
- Ladder hook
- Anatomically shaped trigger

For cartridges 310ml/10.5 fl oz

Color: Red/Black



## Aluminum Barrel Applicator HPS400-A

Art.No. 901106

- Rotary barrel
- Strong catch plate
- Stable aluminum screw caps
- Anatomically shaped trigger

For cartridges 310ml/10.5 fl oz,  
sausages 400ml/11.6 fl oz

Color: Silver/Black

## Aluminum Barrel Applicator HPS600-A

Art.No. 901052

- Rotary barrel
- Strong catch plate
- Stable aluminum screw caps
- Anatomically shaped trigger

For cartridges 310ml/10.5 fl oz,  
sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz

Color: Silver/Black



## Accessories and Spare Parts



### Tube Nozzle Art.No. 90048

- Solid nozzle for application of sausage material
- For types HPS400-A/HPS600-A  
Color: White

### Aluminum Barrel Cap Art.No. 600033

- Sturdy screw caps made of aluminum
- For types HPS400-A/HPS600-A  
Color: Black



### Push Plate Regular Art.No. 90079

- Push plate made of plastic
- For types HPS400-A/HPS600-A  
Color: White



# Caulking Applicators

## X7-Series

### Skeleton Caulking Applicator X7

Art.No. 901088

- Hexagonal push rod
- Flow stop function
- Ladder hook
- Spout cleaner
- Thrust ratio 7:1

For cartridges 310ml/10.5 fl oz  
Color: Black



### Half Pipe Caulking Applicator X7-310

Art.No. 571161

- Rotary carriage
- Rubber coated handle and trigger
- Strong catch plate
- Ladder hook
- Thrust ratio 14:1

For cartridges 310ml/10.5 fl oz  
Color: Black/Red



### Aluminum Barrel Applicator X7-400

Art.No. 571162

- Rotary barrel
- Rubber coated handle and trigger
- Nylon screw caps
- Thrust ratio 14:1

For cartridges 310ml/10.5 fl oz,sausages 400ml/11.6 fl oz  
Color: Silver/Black




### Aluminum Barrel Applicator X7-400

Art.No. 571163

- Rotary barrel
- Rubber coated handle and trigger
- Nylon screw caps
- Thrust ratio 14:1

For cartridges 310ml/10.5 fl oz,  
sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz  
Color: Silver/Black



## FX7-Series

- New blackened parts produced without environmental pollution
- Anticorrosive performance
- Professional Grade Quality

### Half Pipe Caulking Applicator FX7-90

Art.No. 571164

- Rotary carriage and ladder hook
- Rubber-coated handle and trigger
- Multiple-strength thrust block (resistance 6000N)
- Double slide bearings for smooth-running function
- For high viscosity dispensing material
- Thrust ratio 17:1

For cartridges 310ml/10.5 fl oz

Color: Black/Turquoise



### Aluminum Barrel Applicator FX7-40

Art.No. 571165

- Rotary barrel and ladder hook
- Rubber-coated handle and trigger
- Multiple-strength thrust block (resistance 6000N)
- Double slide bearings for smooth-running function
- Push plate optimized for complete emptying
- For high viscosity dispensing material
- Thrust ratio 17:1

For cartridges 310ml/10.5 fl oz,

sausages 400ml/11.6 fl oz

Color: Silver/Black/Turquoise

### Aluminum Barrel Applicator FX7-60

Art.No. 571166

- Rotary barrel and ladder hook
- Rubber-coated handle and trigger
- Multiple-strength thrust block (resistance 6000N)
- Double slide bearings for smooth-running function
- Push plate optimized for complete emptying
- For high viscosity dispensing material
- Thrust ratio 17:1

For cartridges 310ml/10.5 fl oz,

sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz

Color: Silver/Black/Turquoise



## eXcePt-Series Professional-Grade Quality



### Half Pipe Caulking Applicator eXcePt-310

Art.No. 200001

- For heavy-duty-applications
- Rotary carriage and ladder hook
- Rubber-coated handle and trigger
- Anticorrosive performance
- Built-in nozzle cutter
- Adjustable dripless function
- Eminently suitable for tough material
- Thrust ratio 19:1

For cartridges 310ml/10.5 fl oz

Color: Black/Orange



### Aluminum Barrel Applicator eXcePt-400

Art.No. 200002

- For heavy-duty-applications
- Rotary barrel and ladder hook
- Rubber-coated handle and trigger
- Anticorrosive performance
- Built-in nozzle cutter
- Adjustable dripless function
- Eminently suitable for tough material
- Thrust ratio 19:1

For cartridges 310ml/10.5 fl oz,

sausages 400ml/11.6 fl oz

Color: Black/Orange



### Aluminum Barrel Applicator eXcePt-600

Art.No. 200003

- For heavy-duty-applications
- Rotary barrel and ladder hook
- Rubber-coated handle and trigger
- Anticorrosive performance
- Built-in nozzle cutter
- Adjustable dripless function
- Eminently suitable for tough material
- Thrust ratio 19:1

For cartridges 310ml/10.5 fl oz,

sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz

Color: Black/Orange



## Accessories / Spare Parts for X7-, FX7-, eXcePt-Series




### Screw Cap Nylon

Art.No. 600034  
 - Screw cap made of Nylon  
 For X7-, Powerjet-Battery Gun Series  
 Color: Black



### Screw Cap Pro Front

Art.No. 600032  
 - Screw cap made of Aluminum  
 - Coarse thread (front)  
 For FX7-, eXcePt-Series barrel type  
 Color: Black



### Screw Cap Pro Back

Art.No. 600035  
 - Screw cap made of Aluminum/Synthetic  
 - Fine thread (back)  
 For FX7-, eXcePt-Series barrel type  
 Color: Black/Silver



### Tube Nozzle Pro

Art.No. 90059  
 - Nozzle with wide margin  
 - Tight fixing in cap  
 - For improved sausage performance  
 For X7-, FX7-, eXcePt- and  
 Powerjet Gun-Series  
 Color: White



### Push Plate Pro

Art.No. 90082  
 - Two-piece synthetic push plate with piston  
 - For complete emptying of sausages  
 For FX7- and eXcePt-Series barrel type  
 Color: Black



### Push Plate X7

Art.No. 901089  
 - Synthetic push plate  
 For X7-Series barrel type  
 Color: Red



### Joint-Quartett

Art.No. 90037  
 - Made of elastic plastic  
 - For several joint sizes  
 - For square or round joints  
 - Easy handling  
 4-piece-set in transparent box



### Service Care Spray Z2000

Art.No. 600000  
 - Eliminates Squeaking Sounds  
 - Protects and preserves tools  
 - Removes all kinds of dirt  
 - Dissolves rust  
 400ml/11.6 fl oz Spray can

## Specific Caulking Applicators


- New blackened parts produced without environmental pollution
- Anticorrosive performance • Professional Grade Quality

### Side-By-Side Applicator FX7-34S

Art.No. 571158

- Very sturdy tool with special hardened catch plate
- Double slide bearings for smooth-running function
- For high viscosity dispensing material
- Rubber-coated handle
- Thrust ratio 19:1

For SBS-Dual component cartridges  
up to 345ml/11.6 fl oz and single 310ml/10.5 fl oz  
Color: Black



### Coaxial Applicator FX7-38

Art.No. 901109

- Heavy duty construction
- Strong catch plate
- Rubber-coated handle
- Thrust ratio 22:1

For coaxial cartridges up to 380ml/12.8 fl oz  
Color: Black




### Dual Component Applicator FX7-21DP

Art.No. 900093

- Very sturdy construction
- Strong non-slipping catch plate
- Rubber-coated handle
- Thrust ratio 18:1

For double cartridges 2 x 110ml/2 x 3.7 fl oz  
Color: Black








## Coaxial Applicator FX7-33 Vario

Art.No. 783148

- Robust tool with rubberized handle
- Resilient dispenser
- Sturdy catch plate
- Exchangeable push plate
- Thrust ratio 17:1

For coaxial cartridges up to 330ml/10.8 fl oz  
Dual component mixing ratio 1:1 and 10:1  
Color: Black/Turquoise



## Dual Component Applicator HPS300-DP2

Art.No. 900095

- Robust tool with rubberized handle
- Use with mixer nozzles
- Thrust ratio 28:1

For dual components cartridges 2x 310ml/10.5 fl oz  
Color: Black

## Dual Component Applicator DP-50

Art.No. 781252

- 2:1 and 1:1 mixing ratio
- Very sturdy design

For Dual component cartridges up to 50ml  
Color: Black



For usage with barrel types  
X7-, FX7- and HPS-Series

## Horizontal Barrier Module

Art.Nr.: 571168

- Stable metal module
- Flexible spacer hose made of synthetic
- 25cm - 30cm injection tube made of Aluminum

For the production of retrospective horizontal  
moisture barriers in walls.



## Foam Guns

For Polyurethane Foam

### Shortgun Art.No. 781233

- Stable aluminium gun for easy handling
- Compact size and light weight
- Comfort grip and brass adjusting screw

Color: Red/Silver



### ERGO Art.No. 781237

- Light-weight synthetic/aluminium foam gun
- Metal tube and trigger
- Big adjusting screw for excellent grip
- Ergonomical, rubberized handle

Color: Red/Black

### Metal Lite Art.No. 781236

- Stable Metal foam gun
- Sturdy adaptor and brass adjusting screw
- Tapered extrusion tube for high stability

Color: Red/Silver



### Metal Lite-Plus Art.No. 781198

- Solid Pro metal foam gun
- PTFE coated needle and can adaptor
- Large brass adjusting screw
- Tapered extrusion tube for high stability
- Rubberized handle for superior grip

Color: Black/Red/Silver

## X7-Series

### Ergo X7 Art.No. 781231

- Light-weight synthetic/aluminum foam gun
- Metal tube and trigger
- Can adaptor with non-stick bead
- Big adjusting screw for excellent grip
- Ergonomical, soft-rubbercoated handle
- Optimized foam flow

Color: Black/Red



### Guardia X7 Art.No. 781199

- Complete stickresistant PTFE coating
- Optimized, stronger can adaptor
- Very good foam flow
- Precise foam adjusting with endstop function
- Rubber coated handle and trigger
- Doming sticker (great for private label)

Color: Black/Red

### Extreme X7 Art.No. 781200

- Flexible foam gun tube with joint
- For special duty on hard-to-reach places
- Optimized, stronger can adaptor
- Precise foam adjusting with endstop function
- Rubberized handle
- Doming sticker (great for private label)

Color: Black/Red/Silver



## Foam Guns

For Polyurethane Foam

### Metal Lite XL Art.No. 781239

Color: Grey/Black/Silver

- Sturdy metal foam gun
- 60cm/1.97 ft tapered tube
- Rubber coated handle
- Non-slip brass adjusting knob
- Effortless working in confined spaces
- Foaming without a ladder



### SCURO Evo5 Art.No. 781256

- High-end solid metal foam gun
- Special non-stick coating
- Tapered tube for great stability
- Non-stick needle and can adaptor
- Strengthened universal adaptor
- Large adjusting knob


Color: Black/Anthracite

## Spare Parts for Foam Guns



### Tubes Art.No. 900086

Plastic tubes for extension



### Nozzles Art.No. 781421

Plastic nozzles for foam guns



### Fine Nozzle Art.No. 781423

Nozzle attachment for special duty  
Color: Red

## Accessories/Spare Parts for Hanging Shelves



### Fine Nozzles

Art.No. 712336

- 3pc fine nozzles
- For foam guns



### Tubes and Nozzles

Art.No. 712332

- 2pc tubes, 2pc nozzles
- For foam guns



### Tube Nozzles

Art.No. 712333

- 3pc tube nozzles
- For barrel applicators



### Push Plate Pro

Art.No. 712335


- 1pc push plate with piston
- For FX7-, eXcePt-Series



### Push Plate X7

Art.No. 712337

- 2pc push plate Red
- For X7-Series



### Push Plate HPS

Art.No. 712338

- 2pc push plate White
- For HPS-series



### Screw Cap Pro Front

Art.No. 712340

- 1pc screw cap (coarse thread), front
- For FX7-, eXcePt-Series



### Screw Cap Nylon

Art.No. 712334

- 1pc screw cap Nylon
- For X7-Series



### Screw Cap Aluminum HPS

Art.No. 712339

- 1pc screw cap Aluminum
- For HPS-series

# Lithium-Ion Battery Caulking Guns Powerjet-Series

## Powerjet-Li 310, 7.4V

Art.No. 786725

- Automatic dripless function
- Stepless adjustable forward speed
- Rubber-coated grip and trigger
- Built-in LED auxiliary light

For cartridges 310ml/10.5 fl oz

Color: Black/Red



## Powerjet-Li 400, 7.4V

Art.No. 786724

- Automatic dripless function
- Stepless adjustable forward speed
- Rubber-coated grip and trigger
- Built-in LED auxiliary light

For cartridges 310ml/10.5 fl oz,  
sausages 400ml/11.6 fl oz

Color: Silver/Black/Red

## Powerjet-Li 600, 7.4V

Art.No. 786723

- Automatic dripless function
- Stepless adjustable forward speed
- Rubber-coated grip and trigger
- Built-in LED auxiliary light

For cartridges 310ml/10.5 fl oz,  
sausages 400ml/11.6 fl oz, 600ml/20.2 fl oz

Color: Silver/Black/Red




## Powerjet-Li 380 Coaxial, 7.4V

Art.No 786722

- Automatic dripless function
- Stepless adjustable forward speed
- Rubber-coated grip and trigger
- Built-in LED auxiliary light

For Coaxial Cartridges up to 400ml/13.5 fl oz  
for dual component material

Color: Black/Red



## Powerjet-Li 360 Side-by-Side, 7.4V

Art.No. 786727

- Automatic dripless function
- Stepless adjustable forward speed
- Rubber-coated grip and trigger
- Built-in LED auxiliary light

For Side-by-Side cartridges up to 360ml/12.1 fl oz (10:1)  
Color: Black/Red

### Technical Details:

- Lithium-Ion-Battery 7.4V / 1.3Ah
- fully-charged battery for approx. 30 cartridges or 20 sausages (depending on the material and/or temperature)
- Loading time approx. 1h
- Feed speed up to 6.9mm/0,27in/second
- Extrusion pressure max. 450kg/992lb



**Spare Battery** Art.No. 786726  
7.4V Lithium-Ion-Battery

### Scope of Delivery:

- 1pc Battery gun
- 1pc Lithium-ion-battery 7.4V
- 1pc Blow case
- 1pc Quick charger
- 1pc Operating instruction
- 3pc tube nozzles Pro (for barrel types)



**Quick Charger** Art.No. 786711

# Pneumatic Caulking Applicators

## Pneumatic Applicator KB400

Art.No. 90015

- Anodized aluminum tube
- Optimized centre of gravity axis
- Working pressure 6-10 bar
- Minimal air consumption
- Easy pressure regulation and excellent dosage adjustment
- Including remodeling kit

For cartridges 310ml/10.5 fl oz,  
sausages 400ml/11.6 fl oz

Color: Black/Red



## Pneumatic Applicator B600

Art.No. 90014

- Anodized aluminum tube
- Optimized centre of gravity axis
- Working pressure 6-10 bar
- Minimal air consumption
- Easy pressure regulation and excellent dosage adjustment

For sausages up to 600ml/20.2 fl oz  
Color: Black/Red

## Pneumatic Applicator KB600

Art.No. 90023

- Anodized aluminum tube
- Optimized centre of gravity axis
- Working pressure 6-10 bar
- Minimal air consumption
- Easy pressure regulation and excellent dosage adjustment
- Including remodeling kit

For cartridges and sausages up to 600ml/20.2 fl oz  
Color: Black/Red





# Mortar Caulking Applicator


## Mortar Caulking Applicator X7-1000

Art.No. 901116


- Heavy construction tool
- Wide chatch plate
- Metal screw connection with handle
- Rubber coated handle and trigger
- Ladder hook
- Retaining clip secures tube
- Volume approx.1000ml/33.8 fl oz




- Mortar Caulking Applicator X7-1000 is developed for clean and easy processing of mortar or joint sealer
- High stability and durability are guaranteed due to perfect fillings
- Precise application avoids dirty edges
- Possible usage at dry/ building construction, fire protection, etc.



## Spare Parts for Mortar Applicator



Mortar Tube  
Art.No. 90058



Nozzles Black or Grey  
Art.No. 90052 / 90043



Sealing Rubber Plate  
Art.No. 9900011

# Presentation

## IRION Display:

- Allows higher turnover and margins
- Stimulates the buying impulse
- Encourages spontaneous purchases
- Optimizes stock rotation
- Increases awareness level
- Maximizes recognition effect
- Improves visibility of product view



## X7 - Mobile Rack

- Fast and uncomplicated setup
- Sales promoter
- Flexible positioning
- Perfect for trade fair booths
- Space-saving design

Equipping for X7-Series only:

Ergo X7, Guardia X7, Extreme X7

Caulking Applicators X7-310, X7-400 and X7-600

Irion has been a premier producer of high quality PU foam guns and caulking guns for more than 20 years. The combination of German engineering and on-site quality control along with the most cost effective manufacturing process has made Irion products number one in the global market.

Our production facility in Shanghai, China operates under the strictest test standards maintaining current CE and TUV certificates. Having all our operations from manufacturing through distribution in one company provides unique capabilities for creating customized features and private label products as well as reducing costs and delays.

Irion is strongly committed to sustainable, environmentally-friendly technologies and fair treatment of employees.

Our expertise is appreciated by retailers and specialised wholesalers both nationally and internationally. We perform training courses either in our headquarter in Germany or your company abroad.

Customized packaging designs are also available to enhance brand recognition and sales. The following components can be selected in any combination as desired, your company logo will be integrated as well.



No liability accepted for completeness, printing errors and mistakes made during the production of this product brochure. We don't take any responsibility concerning eventual color variations regarding the products pictured in the catalogue. All illustrations, descriptions and technical specifications are subject to change without prior notice.



IRION Vertriebs GmbH

Dinglerstrasse 13

63739 Aschaffenburg

Germany

Phone: +49 (0) 6021 / 583 635-0

Fax: +49 (0) 6021 / 583 635-20

[www.irion-gunshop.de](http://www.irion-gunshop.de)

E-Mail: [irion@irion-gun.de](mailto:irion@irion-gun.de)